Singapore Management University

Institutional Knowledge at Singapore Management University

Research Collection School Of Computing and Information Systems

School of Computing and Information Systems

11-2015

Direct or indirect match? Selecting right concepts for zeroexample case

Yi-Jie LU

Maaike DE BOER

Hao ZHANG

Klamer SCHUTTE

Wessel KRAAIJ

See next page for additional authors

Follow this and additional works at: https://ink.library.smu.edu.sg/sis_research



Part of the Data Storage Systems Commons, and the Graphics and Human Computer Interfaces

Commons

Citation

LU, Yi-Jie; DE BOER, Maaike; ZHANG, Hao; SCHUTTE, Klamer; KRAAIJ, Wessel; and NGO, Chong-wah. Direct or indirect match? Selecting right concepts for zero-example case. (2015). 2015 TREC Video Retrieval Evaluation, TRECVID 2015, Gaithersburg, November 16-18.

Available at: https://ink.library.smu.edu.sg/sis_research/6468

This Conference Paper is brought to you for free and open access by the School of Computing and Information Systems at Institutional Knowledge at Singapore Management University. It has been accepted for inclusion in Research Collection School Of Computing and Information Systems by an authorized administrator of Institutional Knowledge at Singapore Management University. For more information, please email cherylds@smu.edu.sg.

thor Jie LU, Maaike DE BOER, Hao ZHANG, Klamer SCHUTTE, Wessel KRAAIJ, and Chong-wah NGO	





Direct or Indirect Match? Selecting Right Concepts for Zero-Example Case

Speaker: Yi-Jie Lu

Yi-Jie Lu¹, Maaike de Boer^{2,3}, Hao Zhang¹, Klamer Schutte², Wessel Kraaij^{2,3}, Chong-Wah Ngo¹

¹VIREO Group, City University of Hong Kong, Hong Kong ²Netherlands Organization for Applied Scientific Research (TNO), Netherlands ³Radboud University, Nijmegen, Netherlands





Outline


- Introduce overall performance in 2015
- Difference with 2014 submission
 - An enlarged concept bank
 - Strategy to pick up the right concepts from concept bank







Achievements in 2015










Achievements in 2015

PS_EvalSub_000Ex MAP








Important changes from '14?







• Recall the Semantic Query Generation (SQG):









Recall our 2014 findings

Extinguishing a Fire

Missing key concepts








[Firefighter]







• What we do?



Semantic Query

< Objects >	
→ Bike	0.60
 Motorcycle 	0.60
Mountain bike	0.60
< Actions >	
 Bike trick 	1.00
 Ridding bike 	0.62
Flipping bike	0.61
 Assembling a bike 	0.60
< Scenes >	
Motorcycle speedway	0.01
- Parking lot	0.01
Manually	

Manually Refined Query







CNN

SVM

Enlarge the concept bank

2014 2015

Research set (497)
 CNN
 + Sports (487)

ImageNet ILSVRC (1000)
 CNN
 + FCVID (239)

SIN (346)
 CNN
 + Places (205)
 CNN

SFRISP (2774)










Concept Bank Review










Concept Bank Review

Sports (487) [1]



[1] L. Jiang, S.-I. Yu, D. Meng, T. Mitamura, and A. G. Hauptmann, "Bridging the ultimate semantic gap: A semantic search engine for internet videos," in *International Conference on Multimedia Retrieval*, 2015.







Concept Bank Review

- FCVID (239)
 - A large dataset contains high-level activities/events
 - accordion performance
 - American football professional
 - bungee jumping
 - car accidents
 - fire fighting
 - playing frisbee with dog
 - rock climbing
 - wedding ceremony








Contributions of Sports and FCVID












Contribution of Sports+FCVID (726 concepts) on MED14-Test







In combination of 6 different resources:


How to wisely choose the right concepts?







Recall an important finding in the last year




Event 31: Beekeeping







Strategies for automatic SQG last year







What we got?

- The top few concepts might have already achieved a good performance
- Adding concepts that are less relevant tends to decrease the performance







Per-dataset performance by using best-k concepts (MED14-Test)

EventID EventName	Research497 (Top 2)	ILSVRC1000 (Top 3)	SIN346 (Top 5)	Places205 (Top 2)	FCVID23 (Top 1)	Sports487 (Manual)
<pre>21 attempting_bike_trick</pre>	0.132	0.109	0.059	0.007	9.063	0.196
22 cleaning_appliance	0.012	0.019	0.005	0.009	0.062	0.002
23 dog_show	0.430	0.011	0.012	0.004	0.004	0.777
24 giving_direction_location	0.006	0.003	0.003	0.007	0.001	0.003
25 marriage_proposal	0.005	0.002	0.006	0.002	0.010	0.006
26 renovating_home	0.007	0.003	0.003	0.003	0.001	0.006
27 rock_climbing	0.022	0.004	0.001	0.004	0.065	0.288
28 town_hall_meeting	0.024	0.001	0.016	0.008	0.148	0.001
29 winning_race_vehicle	0.147	0.005	0.001	0.006	0.011	0.016
30 working_metal_craft_project	0.144	0.009	0.002	0.001	0.005	0.001
31 beekeeping	0.003	0.648	0.002	0.002	0.262	0.001
32 wedding_shower	0.009	0.003	0.022	0.002	0.005	0.003
33 non-motorized_vehicle_repair	0.026	0.002	0.005	0.002	0.008	0.450
34 fixing_musical_instrument	0.016	0.002	0.011	0.004	0.146	0.001
35 horse_riding_competition	0.013	0.022	0.071	0.234	0.115	0.278
36 felling_tree	0.022	0.004	0.018	0.051	0.018	0.001
37 parking_vehicle	0.026	0.057	0.037	0.022	0.215	0.002
38 playing_fetch	0.002	0.032	0.010	0.017	0.008	0.020
39 tailgating	0.002	0.001	0.001	0.007	0.232	0.001
40 tuning_musical_instrument	0.008	0.048	0.001	0.002	0.050	0.001
MAP(all)	0.053	0.049	0.014	0.020	0.071	0.103
AP(21-30)	0.093	0.017	0.011	0.005	0.037	0.130
IAP(31-40)	0.013	0.082	0.018	0.034	0.106	0.076

Finding

If a good match can be found, high-level concepts far overwhelm componential concepts such as objects and scenes.







Strategies for manual concept screening

- Only carefully include concepts that are distinctive to an event if we find a concept detector semantically same as the event
- Remove false positives by screening the names of concepts
- Remove concepts for which training videos appear in very different context based on human's common sense
- Rock climbing, bouldering, sport climbing, artificial rock wall
- Rope climbing, climbing, rock
- Rock fishing, rock band performance
- Stone wall, grabbing rock

Relevant

Not distinctive

False positive

Different context





Strategies for automatic SQG


- If a concept detector with the same name of the event can be found, simply choose that detector and discard anything else
- Otherwise, choose the top k concepts according to the relevance score
- k is found to be optimized at around 10, and kept the same for all events







Automatic SQG top k vs. new strategy (MED14-Test)










Manual vs. Automatic (PS_EvalFull)










Contribution of 0Ex in 10Ex task (PS_EvalFull)







Summary

- An enlarged concept bank involving high-level concepts such as activities and events does great help for event detection
- A wise strategy for picking up the right concepts given a large concept bank is key to the detection performance





Thankyoul